

View Online at <https://aerobasegroup.com/nsn/5935-01-089-6638>

**Body Material:**

Fiber and glass and plastic

**Thread Class:**

2a

**Thread Direction:**

Right-hand

**Body Style:**

Top mount w/studs

**Overall Length:**

1.250 inches

**Overall Height:**

Any acceptable

**Overall Width:**

0.390 inches

**Mounting Slot Width:**

Between 0.138 inches and 0.146 inches

**Body Mounting Hole Accommodation Length:**

0.812 inches

**Body Mounting Hole Accommodation Width:**

0.438 inches

**Distance Between Mounting Facility Centers:**

1.000 inches

**Mounting Hole Style:**

Rectangular, w/external slots

**Contact Maximum Current Rating In Amps:**

3.0

**Contact Material:**

Phosphor bronze

**Contact Surface Treatment:**

Gold and silver

**Accommodated Contact Quantity:**

10

**Polarization Type:**

Colored dot

**Projection Length Below Mounting Surface:**

Any acceptable

**Mounting Method:**

Threaded stud

**Mounting Type For Which Designed:**

Chassis

**Thready Qty Per Inch (tpi):**

40

**Thread Size:**

0.112 inches

**Contact Position Arrangement Style:**

Triple in line

**Precious Material And Location:**

Contact surfaces gold and contact surfaces silver

**Precious Material And Weight:**

0.010 gold grains, troy and 0.010 silver grains, troy

**Precious Material:**

Gold and silver

**Thread Series Designator:**

Unc

**Furnished Items And Quantity:**

4 lock washer and 2 screw and 2 nut

**Terminal Type And Quantity:**

10 tab, solder lug

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fiig:**

A02300