NSN 5935-01-089-6689

Solder well single mating end 2nd contact grouping

Body Style:

Electrical Receptacle Connector - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-01-089-6689

Straight shape
Overall Length:
0.688 inches
Overall Height:
1.000 inches
Overall Width:
2.000 inches
Environmental Protection:
Vibration resistant
Unthreaded Mounting Hole Diameter:
0.125 inches
Center To Center Distance Between Mounting Facilities Parallel To Height:
0.500 inches
Distance Between Centerlines Of Mounting Facilities Parallel To Body Width:
1.780 inches
Distance From Mounting Shoulder To Front Face:
0.468 inches
Mating End Quantity:
1
Contact Position Arrangement Style:
29c1 single mating end
Contact Removability:
Nonremovable single mating end 2nd contact grouping
Contact Maximum Current Rating In Amps:
7.5 single mating end 2nd contact grouping
Contact Maximum Ac Voltage Rating In Volts:
1500.0 single mating end 2nd contact grouping
Polarization Method:
Mating end
Shell Type:
Solid
Terminal Location:
Back single mating end 2nd contact grouping
Contact Material:
Copper alloy single mating end 2nd contact grouping
Contact Surface Treatment:
Gold single mating end 2nd contact grouping and silver single mating end 2nd contact grouping
Insert Material:
Plastic melamine single mating end
Terminal Type:

NSN 5935-01-089-6689

Electrical Receptacle Connector - Page 2 of 2



Shell Material:
Aluminum alloy
Shell Surface Treatment:
Cadmium and chromate
Precious Material And Location:
Contact surfaces gold and contact surfaces silver
Precious Material And Weight:
0.028 gold grains, troy and 0.028 silver grains, troy
Precious Material:
Gold and silver
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No

Fiig: A039b0