

View Online at <https://aerobasegroup.com/nsn/5935-01-091-0024>

Thread Class:

2a and 2b and 2a

Thread Direction:

Right-hand and right-hand and right-hand

Body Style:

Straight shape

Overall Length:

3.125 inches

Overall Height:

0.703 inches

Overall Width:

0.375 inches

Environmental Protection:

Moisture resistant and vibration resistant and shock resistant and corrosion resistant and heat resistant and cold resistant

Distance Between Mounting Facility Centers:

2.802 inches

Threaded Device Type:

Coupling facility and mounting stud

Mating End Quantity:

1

Contact Position Arrangement Style:

2 rows of contacts non-inserted board single mating end

Connector Locking Method:

Jackscrew-socket

Thread Length:

0.234 inches

Thready Qty Per Inch (tpi):

32 and 32 and 40

Thread Size:

0.138 inches and 0.138 inches and 0.112 inches

Insert Material:

Plastic diallyl phthalate single mating end or plastic phenolic single mating end

Criticality Code Justification:

Hues

Insert Material Specification:

Mil-m-14, type sgd-f military specification single material response single mating end

Special Features:

Polarizing pins in locations b and r

Color:

Black

Thread Series Designator:

Unc and unc and unc

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A039b0

Mil-std (military Standard):

Mil-m-14 spec.