Electrical Receptacle Connector - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-01-092-6103

Body Sty	
Straight shape	
Overall L	-
0.954 incl	
Overall H	-
3.110 incl	
Overall W	
2.000 incl	
	nental Protection:
Heat resis	
	ed Mounting Hole Diameter:
0.230 incl	
Center To	o Center Distance Between Mounting Facilities Parallel To Height:
2.783 incl	
Distance	Between Centerlines Of Mounting Facilities Parallel To Body Width:
1.437 incl	nes
Distance	From Mounting Shoulder To Front Face:
0.766 incł	nes
Mating E	nd Quantity:
2	
Contact I	Position Arrangement Style:
8 1st mati	ng end
Contact F	Removability:
Removab	le all mating ends single contact grouping
Contact I	Maximum Current Rating In Amps:
7.5 2nd m	ating end single contact grouping
Polarizat	ion Method:
3 polariza	tion posts
Shell Typ	e:
Solid	
Terminal	Location:
Back all n	nating ends single contact grouping
Contact I	Material:
Copper al	loy all mating ends single contact grouping
Contact S	Surface Treatment:
Gold all mating ends single contact grouping and silver all mating ends single contact grouping	
Insert Material:	
Plastic dia	allyl phthalate all mating ends
Contact S	Surface Treatment Specification:
Mil-g-452	04 military specification 1st treatment response all mating ends single contact grouping
Terminal	Туре:
Crimp all	mating ends single contact grouping

AeroBase Group

## **Contact Material Specification:**

Qq-c-533 federal specification single material response all mating ends single contact grouping

## **Guide Design And Location:**

Hexagon shape male post left-hand at 12 oclock and hexagon shape male post center at 12 oclock and hexagon shape male post

right-hand at 12 oclock

Shell Material:

Aluminum alloy a380.0

Shell Surface Treatment:

Cadmium and chromate

### Shell Surface Treatment Specification:

Qq-a-591, a380 federal specification single treatment response

# Shell Material Specification:

Qq-a-591 federal specification single material response

### **Insert Material Specification:**

Mil-m-14 military specification single material response all mating ends

### **Included Contact Quantity:**

8 1st mating end single contact grouping

### Included Contact Type:

Round socket all mating ends single contact grouping

# Precious Material And Location:

Contact surfaces gold

**Precious Material And Weight:** 

# 0.053 gold grains, troy

Precious Material:

Gold

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A039b0

### Mil-std (military Standard):

Mil-g-45204 spec.