## NSN 5935-01-093-5739

Electrical Receptacle Connector - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-01-093-5739

**Body Style:** 

Straight shape threaded

**Overall Length:** 

0.839 inches

**Overall Diameter:** 

Between 0.834 inches and 0.844 inches

**Distance From Mounting Shoulder To Front Face:** 

Between 0.530 inches and 0.534 inches

**Mating End Quantity:** 

1

**Contact Removability:** 

Nonremovable single mating end all contact groupings

**Polarization Method:** 

Keyway or multiple keyway

**Insert Position In Deg:** 

150.0

**Shell Type:** 

Solid

**Connector Locking Method:** 

Bayonet latch

**Terminal Location:** 

Back single mating end all contact groupings

**Contact Material:** 

Copper alloy single mating end all contact groupings

**Contact Surface Treatment:** 

Gold single mating end all contact groupings

**Terminal Type:** 

Tab, solder lug single mating end 2nd contact grouping

Shell Material:

Aluminum alloy

**Shell Surface Treatment:** 

Anodize

**Included Contact Quantity:** 

8 single mating end 2nd contact grouping

**Bushing Accommodation Hole Shape:** 

Round

**Included Contact Type:** 

Round pin single mating end all contact groupings

**Special Features:** 

Solder flange mtd

**Precious Material And Location:** 

Contact surfaces gold

## NSN 5935-01-093-5739

Electrical Receptacle Connector - Page 2 of 2



Precious	Mat	erial	And	Weigh	)t

0.013 gold grains, troy **Precious Material:** 

Gold

Shelf Life:

N/a

**Unit Of Measure:** 

--

Demilitarization:

No

Fiig:

A039b0