

NSN 5935-01-093-9504 Electrical Receptacle Connector - Page 1 of 2	AeroBas Grou
View Online at https://aerobasegroup.com/nsn/5935-01-093-9504	
Body Style:	
Straight shape	
Overall Length:	
Between 2.714 inches and 2.744 inches	
Overall Height:	
1.065 inches	
Overall Width:	
Between 0.479 inches and 0.600 inches	
Environmental Protection:	
Heat resistant and cold resistant and thermal shock resistant and vibration resistant and moisture resistant	
Unthreaded Mounting Hole Diameter:	
Between 0.115 inches and 0.125 inches	
Distance Between Mounting Facility Centers:	
2.500 inches	

Mating End Quantity:

Contact Position Arrangement Style:

37 single mating end

Contact Removability:

Nonremovable single mating end single contact grouping

Contact Maximum Current Rating In Amps:

3.0 single mating end single contact grouping

Contact Maximum Ac Voltage Rating In Volts:

125.0 single mating end single contact grouping

Contact Maximum Dc Voltage Rating In Volts:

200.0 single mating end single contact grouping

Polarization Method:

Mating end

Shell Type:

Solid

Connector Locking Method:

Friction

Terminal Location:

Back single mating end single contact grouping

Contact Material:

Copper alloy single mating end single contact grouping

Contact Surface Treatment:

Gold single mating end single contact grouping

Insert Material:

Plastic phenolic mineral filled single mating end or plastic diallyl phthalate single mating end

Contact Surface Treatment Specification:

Mil-g-45204, type 2, grade c or d, cl 1 military specification single treatment response single mating end single contact grouping

NSN 5935-01-093-9504

Electrical Receptacle Connector - Page 2 of 2



Terminal Type:
Solder well single mating end single contact grouping
Shell Material:
Aluminum alloy
Shell Surface Treatment:
Chromate and cadmium
Shell Surface Treatment Specification:
Qq-p-416, type 2, cl 3 federal specification all treatment responses
Shell Material Specification:
Qq-a-591 federal specification single material response
Insert Material Specification:
Mil-m-14, ty -5e military specification single material response single mating end or mil-p-19833, ty gdi-30, sdg-f military specification single
material response single mating end
Included Contact Quantity:
37 single mating end single contact grouping
Included Contact Type:
Round pin single mating end single contact grouping
Precious Material And Location:
Contact surfaces gold
Precious Material And Weight:
0.037 gold grains, troy
Precious Material:
Gold
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig:
A039b0
Mil-std (military Standard):
Mil-g-45204 spec.