## NSN 5935-01-094-1790

Electrical Receptacle Connector - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-01-094-1790 **Thread Class:** 2a **Thread Direction:** Right-hand **Body Style:** Straight shape, external coupling **Overall Length:** Between 1.010 inches and 1.060 inches **Overall Height:** 1.031 inches **Overall Width:** 1.031 inches **Unthreaded Mounting Hole Diameter:** Between 0.143 inches and 0.149 inches Center To Center Distance Between Mounting Facilities Parallel To Height: Between 0.776 inches and 0.786 inches Distance Between Centerlines Of Mounting Facilities Parallel To Body Width: Between 0.776 inches and 0.786 inches **Distance From Mounting Shoulder To Front Face:** 0.320 inches **Threaded Device Type:** Coupling facility **Mating End Quantity: Contact Position Arrangement Style:** Nonstd single mating end **Contact Removability:** Nonremovable single mating end single contact grouping Shell Type: Solid **Connector Locking Method:** Externally threaded shell Thready Qty Per Inch (tpi): 20 **Thread Size:** 0.500 inches **Terminal Location:** Back single mating end single contact grouping **Contact Material:** Nickel single mating end single contact grouping

Nickel single ma

Terminal Type:

Solder well single mating end single contact grouping

## NSN 5935-01-094-1790

Electrical Receptacle Connector - Page 2 of 2



| Shell Material:                                     |
|---|
| Aluminum alloy                                      |
| Shell Surface Treatment:                            |
| Nickel  |
| Included Contact Quantity:                          |
| 1 single mating end single contact grouping         |
| Included Contact Type:                              |
| Round pin single mating end single contact grouping |
| Thread Series Designator:                           |
| Unf   |
| Shelf Life:   |
| N/a   |
| Unit Of Measure:                                    |
|   |
| Demilitarization:                                   |
| No  |
| Fiia:   |

A039b0