Electrical Receptacle Connector - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-01-094-2227

Thread Class:
2a
Thread Direction:
Right-hand
Body Style:
Straight shape, external coupling
Overall Length:
1.344 inches
Overall Height:
1.375 inches
Overall Width:
1.375 inches
Unthreaded Mounting Hole Diameter:
0.120 inches
Center To Center Distance Between Mounting Facilities Parallel To Height:
1.062 inches
Distance Between Centerlines Of Mounting Facilities Parallel To Body Width:
1.062 inches
Distance From Mounting Shoulder To Front Face:
0.750 inches
Threaded Device Type:
Coupling facility
Mating End Quantity:
1
Contact Removability:
Removable single mating end single contact grouping
Contact Maximum Dc Voltage Rating In Volts:
15000.0 single mating end single contact grouping
Polarization Method:
Keyway or multiple keyway
Insert Position In Deg:
0.0
Shell Type:
Solid
Connector Locking Method:
Externally threaded shell
Thread Length:
0.750 inches
Thready Qty Per Inch (tpi):
18
Thread Size:
1.125 inches

NSN 5935-01-094-2227 Electrical Receptacle Connector - Page 2 of 2



Terminal Location: Back single mating end single contact grouping **Contact Material:** Copper alloy single mating end single contact grouping **Insert Material:** Rubber synthetic single mating end **Terminal Type:** Crimp single mating end single contact grouping Shell Material: Aluminum **Shell Material Specification:** Qq-a-591 federal specification single material response **Insert Material Specification:** Zz-r-765 federal specification single material response single mating end **Included Contact Quantity:** 4 single mating end single contact grouping **Included Contact Type:** Round socket single mating end single contact grouping **Thread Series Designator:** Unef

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A039b0