NSN 5935-01-094-3683

Electrical Receptacle Connector - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-01-094-3683
Body Style:
Angle shape, w/ or w/o cover
Overall Length:
6.719 inches
Center To Center Distance Between Mounting Facilities Parallel To Length:
5.875 inches
Overall Height:
8.000 inches
Overall Width:
7.188 inches
Environmental Protection:
Corrosion resistant
Unthreaded Mounting Hole Diameter:
0.344 inches
Cable Entrance Diameter:
0.500 inches
Mating End Quantity:
2
Contact Position Arrangement Style:
"3, 5-15" all mating ends
Contact Removability:
Removable all mating ends all contact groupings
Contact Maximum Current Rating In Amps:
20.0 all mating ends all contact groupings
Contact Maximum Ac Voltage Rating In Volts:
125.0 all mating ends all contact groupings
Contact Maximum Dc Voltage Rating In Volts:
125.0 all mating ends all contact groupings
Polarization Method:
Contact
Shell Type:
Solid
Connector Locking Method:
Shell twistlock

Connector Cable Strain Relief Method:

Conduit nut

Terminal Location:

Side all mating ends all contact groupings

Contact Material:

Copper alloy all mating ends all contact groupings

Insert Material:

Plastic polyester all mating ends and glass fiber all mating ends

NSN 5935-01-094-3683

Electrical Receptacle Connector - Page 2 of 2



Terminal Type:	
Screw all mating ends all contact groupings	
Shell Material:	
Aluminum alloy	
Shell Surface Treatment:	
Lacquer aluminum cellulose	
Shelf Life:	
N/a	
Unit Of Measure:	
Demilitarization:	
No	

Fiig: A039b0