NSN 5935-01-097-4852

Electrical Receptacle Connector - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-01-097-4852

view Online at https://acrobasegroup.com/nsn/0000-01-001-4002
Body Style:
Straight type
Overall Length:
1.650 inches
Overall Height:
0.423 inches
Overall Width:
0.300 inches
Environmental Protection:
Moisture resistant and shock resistant and salt water resistant
Unthreaded Mounting Hole Diameter:
Between 0.097 inches and 0.102 inches
Distance Between Mounting Facility Centers:
1.450 inches
Mating End Quantity:
1
Contact Position Arrangement Style:
2 rows of contacts non-inserted board single mating end
Contact Removability:
Nonremovable single mating end single contact grouping
Contact Maximum Current Rating In Amps:
3.0 single mating end single contact grouping
Polarization Method:
Mating end
Shell Type:
Solid
Terminal Location:
Back single mating end single contact grouping
Contact Material:
Copper alloy single mating end single contact grouping
Contact Surface Treatment:
Nickel single mating end single contact grouping and gold single mating end single contact grouping
Insert Material:
Plastic polyamide single mating end
Contact Surface Treatment Specification:
Qq-n-290 federal specification 1st treatment response single mating end single contact grouping and mil-g-45204, type 2, cl 1 military
specification 2nd treatment response single mating end single contact grouping
Terminal Type:
Pin single mating end single contact grouping
Contact Material Specification:

Qq-b-613, comp 260, half hard federal specification single material response single mating end single contact grouping

Shell Material: Aluminum alloy

NSN 5935-01-097-4852

A039b0

Mil-std (military Standard):

Mil-g-45204 spec.

Electrical Receptacle Connector - Page 2 of 2



Shell Surface Treatment:
Gold and anodize
Shell Material Specification:
Qq-a-250/11 federal specification single material response or qq-a-200/8 federal specification single material response
Insert Material Specification:
Mil-m-20693, type 1 military specification single material response single mating end
Included Contact Quantity:
22 single mating end single contact grouping
Included Contact Type:
Round pin single mating end single contact grouping
Precious Material And Location:
Contact and shell surfaces gold
Precious Material And Weight:
0.130 gold grains, troy
Precious Material:
Gold
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig: