

View Online at https://aerobasegroup.com/nsn/5935-01-097-5975

2bThread Direction:Right-handFurnished Items:Retaining ringBody Angle In Deg:90.0Cable Opening Diameter:0.651 inchesDistance From Centerline To Connector End:1.010 inchesDistance From Centerline To Cable End:1.320 inchesCable Opening Quantity:11Size Designation:14Mounting Facility Type And Quantity:1 threaded couplingThread Size:0.812 inchesMaterial:Aluminum alloyMaterial:Aluminum alloySurface Treatment:
Right-handFurnished Items:Retaining ringBody Angle In Deg:90.0Cable Opening Diameter:0.651 inchesDistance From Centerline To Connector End:1.010 inchesDistance From Centerline To Cable End:1.320 inchesCable Opening Quantity:1Size Designation:14Mounting Facility Type And Quantity:11Preaded couplingThreaded couplingChready Qty Per Inch (tpi):20Fhread Size:0.812 inchesMaterial:Aluminum alloy
Furnished Items:Retaining ringBody Angle In Deg:90.0Cable Opening Diameter:0.651 inchesDistance From Centerline To Connector End:1.010 inchesDistance From Centerline To Cable End:1.320 inchesCable Opening Quantity:1Size Designation:14Mounting Facility Type And Quantity:120Threaded couplingIntreaded coupling20Material:Aluminum alloyMutinum alloy
Retaining ringBody Angle In Deg:90.0Cable Opening Diameter:0.651 inchesDistance From Centerline To Connector End:1.010 inchesDistance From Centerline To Cable End:1.320 inchesCable Opening Quantity:1Size Designation:14Mounting Facility Type And Quantity:1 threaded couplingThready Qty Per Inch (tpi):20Fhread Size:0.812 inchesMaterial:Aluminum alloy
Body Angle In Deg: 90.0 Cable Opening Diameter: 0.651 inches Distance From Centerline To Connector End: 1.010 inches Distance From Centerline To Cable End: 1.010 inches Distance From Centerline To Cable End: 1.320 inches Cable Opening Quantity: 1.320 inches Cable Opening Quantity: 1 Size Designation: 14 Mounting Facility Type And Quantity: 14 Mounting Facility Type And Quantity: 1 threaded coupling Thready Qty Per Inch (tpi): 20 Thread Size: 0.812 inches Material: Aluminum alloy
90.0 Cable Opening Diameter: 0.651 inches Distance From Centerline To Connector End: 1.010 inches Distance From Centerline To Cable End: 1.320 inches Cable Opening Quantity: 1.320 inches Cable Opening Quantity: 1 Size Designation: 14 Mounting Facility Type And Quantity: 1 threaded coupling Thready Qty Per Inch (tpi): 20 Thread Size: 0.812 inches Material: Aluminum alloy
Cable Opening Diameter:0.651 inchesDistance From Centerline To Connector End:1.010 inchesDistance From Centerline To Cable End:1.320 inchesCable Opening Quantity:1Size Designation:14Mounting Facility Type And Quantity:1 threaded couplingThready Qty Per Inch (tpi):20Thread Size:0.812 inchesMaterial:Aluminum alloyMuninum alloy
0.651 inches Distance From Centerline To Connector End: 1.010 inches Distance From Centerline To Cable End: 1.320 inches Cable Opening Quantity: 1.320 inches Cable Opening Quantity: 1 Size Designation: 14 Mounting Facility Type And Quantity: 1 threaded coupling Thready Qty Per Inch (tpi): 20 Thread Size: 0.812 inches Material: Aluminum alloy
Distance From Centerline To Connector End: 1.010 inches Distance From Centerline To Cable End: 1.320 inches Cable Opening Quantity: 1 Size Designation: 14 Mounting Facility Type And Quantity: 1 threaded coupling Thready Qty Per Inch (tpi): 20 Thread Size: 0.812 inches Material: Aluminum alloy
 1.010 inches Distance From Centerline To Cable End: 1.320 inches Cable Opening Quantity: Cable Opening Quantity: 1 Size Designation: 14 Mounting Facility Type And Quantity: 1 threaded coupling Thready Qty Per Inch (tpi): 20 Thread Size: 0.812 inches Material: Aluminum alloy Aluminum alloy
Distance From Centerline To Cable End: 1.320 inches Cable Opening Quantity: 1 Size Designation: 14 Mounting Facility Type And Quantity: 1 threaded coupling Thready Qty Per Inch (tpi): 20 Thread Size: 0.812 inches Material: Aluminum alloy
 1.320 inches Cable Opening Quantity: Cable Opening Quantity: Size Designation: Size Designation: Mounting Facility Type And Quantity: Mounting Facility Type And Quantity: threaded coupling Threaded coupling Threaded coupling Thready Qty Per Inch (tpi): 0.812 inches Material: Aluminum alloy
Cable Opening Quantity: 1 Size Designation: 14 Mounting Facility Type And Quantity: 1 threaded coupling Thready Qty Per Inch (tpi): 20 Thread Size: 0.812 inches Material: Aluminum alloy Material: Aluminum alloy
1 Size Designation: 14 Mounting Facility Type And Quantity: 1 threaded coupling Thready Qty Per Inch (tpi): 20 Thread Size: 0.812 inches Material: Aluminum alloy Material:
Size Designation: 14 Mounting Facility Type And Quantity: 1 threaded coupling Thready Qty Per Inch (tpi): 20 Thread Size: 0.812 inches Material: Aluminum alloy Material: Aluminum alloy
 14 Mounting Facility Type And Quantity: 1 threaded coupling Thready Qty Per Inch (tpi): 20 Thread Size: 0.812 inches Material: Aluminum alloy Material: Aluminum alloy
Mounting Facility Type And Quantity: 1 threaded coupling Thready Qty Per Inch (tpi): 20 Thread Size: 0.812 inches Material: Aluminum alloy Material: Aluminum alloy
1 threaded coupling Thready Qty Per Inch (tpi): 20 Thread Size: 0.812 inches Material: Aluminum alloy Material: Aluminum alloy
Thready Qty Per Inch (tpi): 20 Thread Size: 0.812 inches Material: Aluminum alloy Material: Aluminum alloy
20 Thread Size: 0.812 inches Material: Aluminum alloy Material: Aluminum alloy
Thread Size: 0.812 inches Material: Aluminum alloy Material: Aluminum alloy
0.812 inches Material: Aluminum alloy Material: Aluminum alloy
Material: Aluminum alloy Material: Aluminum alloy
Aluminum alloy Material: Aluminum alloy
Material: Aluminum alloy
Aluminum alloy
Surface Treatment:
Anodize
Style Designator:
Clamp, angle tie strap type
Surface Treatment:
Anodized
Thread Series Designator:
Unef
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No

NSN 5935-01-097-5975

Electrical Connector Cable Clamp - Page 2 of 2

Fiig: A10100

