NSN 5935-01-098-0705

Electrical Receptacle Connector - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-01-098-0705

Body Style:
Single card type
Overall Length:
2.790 inches
Overall Height:
0.677 inches
Overall Width:
0.512 inches
Environmental Protection:
Moisture resistant
Unthreaded Mounting Hole Diameter:
0.112 inches
Distance Between Mounting Facility Centers:
2.468 inches
Mating End Quantity:
1
Contact Position Arrangement Style:
1 row of contacts non-inserted board single mating end
Contact Removability:
Nonremovable single mating end single contact grouping
Contact Maximum Current Rating In Amps:
5.0 single mating end single contact grouping
Polarization Method:
Contact
Terminal Location:
Side single mating end single contact grouping
Contact Material:
Copper alloy single mating end single contact grouping
Contact Surface Treatment:
Gold single mating end single contact grouping and copper single mating end single contact grouping
Insert Material:
Plastic diallyl phthalate single mating end
Criticality Code Justification:
Feat
Terminal Type:
Pin single mating end single contact grouping
Insert Material Specification:
Mil-m-14, ty mdg military specification single material response single mating end
Included Contact Quantity:

11 single mating end single contact grouping

Included Contact Type:

Flat pin single mating end single contact grouping

NSN 5935-01-098-0705

Electrical Receptacle Connector - Page 2 of 2



Special Features:
Contact f omitted for polarization
Precious Material And Location:
Contact surfaces gold
Precious Material And Weight:
0.011 gold grains, troy
Precious Material:
Gold
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig:

Mil-std (military Standard):

A039b0

Mil-m-14 spec.