Electrical Receptacle Connector - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-01-099-2613

Body Style:
Straight shape
Overall Height:
4.350 inches
Overall Width:
2.000 inches
Unthreaded Mounting Hole Diameter:
0.116 inches
Center To Center Distance Between Mounting Facilities Parallel To Height:
4.026 inches
Distance Between Centerlines Of Mounting Facilities Parallel To Body Width:
1.436 inches
Distance From Mounting Shoulder To Front Face:
0.760 inches
Mating End Quantity:
3
Contact Position Arrangement Style:
67 1st mating end
Contact Removability:
Removable all mating ends all contact groupings
Contact Maximum Current Rating In Amps:
7.5 all mating ends all contact groupings
Polarization Method:
3 polarization posts
Shell Type:
Solid
Connector Locking Method:
Friction
Terminal Location:
Back all mating ends all contact groupings
Contact Material:
Copper alloy all mating ends all contact groupings
Contact Surface Treatment:
Gold all mating ends all contact groupings
Insert Material:
Plastic diallyl phthalate all mating ends or plastic epoxy all mating ends
Contact Surface Treatment Specification:
Mil-g-45204 military specification single treatment response all mating ends all contact groupings
Terminal Type:
Crimp all mating ends all contact groupings
Contact Material Specification:
Qq-c-533 federal specification single material response all mating ends all contact groupings



Guide Design And Location:

Hexagon shape male post left-hand at 12 oclock and hexagon shape male post center at 12 oclock and hexagon shape male post

right-hand at 12 oclock

Shell Material: Aluminum alloy

Shell Surface Treatment:

Cadmium and chromate

Shell Surface Treatment Specification:

Qq-p-416 federal specification 1st treatment response

Shell Material Specification:

Qq-a-591 federal specification single material response

Insert Material Specification:

Mil-m-14 military specification all material responses all mating ends

Included Contact Type:

Round pin all mating ends all contact groupings

Precious Material And Location:

Contact surfaces gold

Precious Material And Weight:

0.119 gold grains, troy

Precious Material:

Gold

Shelf Life:

N/a

Unit Of Measure:

Demilitarization:

No

Fiig:

A039b0

Mil-std (military Standard):

Mil-g-45204 spec.