## NSN 5935-01-100-4848

Electrical Receptacle Connector - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-01-100-4848 **Thread Class:** 2g **Thread Direction:** Right-hand **Body Style:** Straight shape, external coupling **Overall Height:** 1.562 inches **Overall Width:** 1.562 inches **Unthreaded Mounting Hole Diameter:** 0.169 inches Center To Center Distance Between Mounting Facilities Parallel To Height: 1.193 inches Distance Between Centerlines Of Mounting Facilities Parallel To Body Width: 1.193 inches **Distance From Mounting Shoulder To Front Face:** 0.438 inches **Threaded Device Type:** Coupling facility **Mating End Quantity:** 1 **Contact Position Arrangement Style:** Gk-v2 single mating end **Contact Removability:** Nonremovable single mating end single contact grouping **Contact Maximum Current Rating In Amps:** 15.0 single mating end single contact grouping **Polarization Method:** Keyway or multiple keyway **Insert Position In Deg:** 0.0 Shell Type: Solid **Connector Locking Method:** Externally threaded shell Thready Qty Per Inch (tpi): 6 **Thread Size:** 

1.188 inches

**Terminal Location:** 

Back single mating end single contact grouping

## NSN 5935-01-100-4848

Electrical Receptacle Connector - Page 2 of 2



| Contact Material:                                                                                   |
|-----------------------------------------------------------------------------------------------------|
| Copper alloy single mating end single contact grouping                                              |
| Contact Surface Treatment:                                                                          |
| Gold single mating end single contact grouping and silver single mating end single contact grouping |
| Insert Material:                                                                                    |
| Plastic melamine single mating end or plastic phenolic single mating end                            |
| Terminal Type:                                                                                      |
| Solder well single mating end single contact grouping                                               |
| Shell Material:                                                                                     |
| Aluminum alloy                                                                                      |
| Shell Surface Treatment:                                                                            |
| Cadmium                                                                                             |
| Included Contact Quantity:                                                                          |
| 2 single mating end single contact grouping                                                         |
| Included Contact Type:                                                                              |
| Round pin single mating end single contact grouping                                                 |
| Precious Material And Location:                                                                     |
| Contact surfaces gold and contact surfaces silver                                                   |
| Precious Material And Weight:                                                                       |
| 0.002 gold grains, troy and 0.002 silver grains, troy                                               |
| Precious Material:                                                                                  |
| Gold and silver                                                                                     |
| Thread Series Designator:                                                                           |
| Acme                                                                                                |
| Shelf Life:                                                                                         |
| N/a                                                                                                 |
| Unit Of Measure:                                                                                    |
|                                                                                                     |

Demilitarization:

No Fiig: A039b0