## NSN 5935-01-101-3410

Electrical Receptacle Connector - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-01-101-3410

Body Style:

Right angle type

**Overall Length:** 

6.040 inches

**Body Height:** 

0.238 inches

#### **Environmental Protection:**

Humidity resistant and salt water resistant and shock resistant and vibration resistant

## **Mating End Quantity:**

1

## **Contact Position Arrangement Style:**

2 rows of contacts non-inserted board single mating end

## **Contact Removability:**

Nonremovable single mating end single contact grouping

#### **Terminal Location:**

Side single mating end single contact grouping

#### **Contact Material:**

Copper alloy single mating end single contact grouping

## **Contact Surface Treatment:**

Gold single mating end single contact grouping and nickel single mating end single contact grouping

## **Insert Material:**

Plastic diallyl phthalate single mating end

## **Contact Surface Treatment Specification:**

Mil-g-45204, ty ii, cl 1 military specification 1st treatment response single mating end single contact grouping and qq-n-290 federal specification 2nd treatment response single mating end single contact grouping

## **Terminal Type:**

Tab, solder lug single mating end single contact grouping

## **Contact Material Specification:**

Qq-c-530 federal specification single material response single mating end single contact grouping

## **Insert Material Specification:**

Mil-m-14, type sdg-f military specification single material response single mating end

## **Included Contact Quantity:**

120 single mating end single contact grouping

## **Included Contact Type:**

Leaf spring single mating end single contact grouping

### **Precious Material And Location:**

Contact surfaces gold

## **Precious Material And Weight:**

0.120 gold grains, troy

## **Precious Material:**

Gold

### Shelf Life:

N/a

# NSN 5935-01-101-3410

Electrical Receptacle Connector - Page 2 of 2



Unit Of Mea	asure:
-------------	--------

--

Demilitarization:

No

Fiig:

A039b0

Mil-std (military Standard):

Mil-g-45204 spec.