Electrical Receptacle Connector - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-01-101-7807

# Thread Class: 2a Thread Direction:

Right-hand

# Body Style:

Straight shape, external coupling

#### **Overall Length:**

1.060 inches

#### **Overall Height:**

0.570 inches

#### Overall Width:

0.570 inches

#### **Environmental Protection:**

#### Moisture resistant

#### **Threaded Device Type:**

### Mounting bushing

#### Mating End Quantity:

1

#### **Contact Position Arrangement Style:**

Bnc single mating end

#### **Contact Removability:**

Removable single mating end single contact grouping

#### Shell Type:

Solid

#### **Connector Locking Method:**

Bayonet latch

## Radio Frequency Type Contact Characteristic Impedance In Ohms:

50.0 single mating end single contact grouping

## Thready Qty Per Inch (tpi):

24

# Thread Size:

0.375 inches

# **Terminal Location:**

Back single mating end single contact grouping

# **Contact Material:**

Copper alloy single mating end single contact grouping

# **Contact Surface Treatment:**

Gold single mating end single contact grouping

# **Terminal Type:**

Solder well single mating end single contact grouping

# Shell Material:

Copper alloy



**Included Contact Quantity:** 1 single mating end single contact grouping **Bushing Accommodation Hole Shape:** Round Included Contact Type: Coaxial pin single mating end single contact grouping **Precious Material And Location:** Contact surface gold **Precious Material And Weight:** 0.005 gold grains, troy **Precious Material:** Gold **Thread Series Designator:** Unf Shelf Life: N/a Unit Of Measure: ---Demilitarization: No Fiig: A039b0