Electrical Receptacle Connector - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-01-103-7965

# Thread Class:

2a

**Thread Direction:** 

Right-hand

#### **Body Style:**

Straight shape w/jackscrew

#### **Overall Length:**

2.790 inches

#### **Overall Height:**

2.840 inches

#### **Overall Width:**

0.902 inches

#### **Environmental Protection:**

Thermal shock resistant

#### **Unthreaded Mounting Hole Diameter:**

0.125 inches

### **Distance Between Mounting Facility Centers:**

2.470 inches

#### **Threaded Device Type:**

Coupling facility

### Mating End Quantity:

1

### **Contact Position Arrangement Style:**

132 single mating end

#### **Contact Removability:**

Removable single mating end single contact grouping

### **Contact Maximum Current Rating In Amps:**

3.0 single mating end single contact grouping

### **Polarization Method:**

Polarization boss

### Shell Type:

Solid

### **Connector Locking Method:**

Screw

## Thready Qty Per Inch (tpi):

32

### Thread Size:

0.138 inches

#### **Terminal Location:**

Back single mating end single contact grouping

## **Contact Material:**

Copper alloy single mating end single contact grouping

Electrical Receptacle Connector - Page 2 of 2



# **Contact Surface Treatment:**

Gold single mating end single contact grouping and copper single mating end single contact grouping

# Insert Material:

Plastic diallyl phthalate single mating end

# Contact Surface Treatment Specification:

Mil-g-45204 military specification 1st treatment response single mating end single contact grouping

# **Terminal Type:**

Crimp single mating end single contact grouping

# **Contact Material Specification:**

Qq-b-626, comp 2 federal specification single material response single mating end single contact grouping

## Shell Material:

Stainless steel

# Shell Material Specification:

Qq-s-766 federal specification single material response

## Insert Material Specification:

Mil-m-14, type sdg-f military specification single material response single mating end

# Included Contact Quantity:

132 single mating end single contact grouping

## Included Contact Type:

Round pin single mating end single contact grouping

# Precious Material And Location:

Contact surfaces gold

# Precious Material And Weight:

0.132 gold grains, troy

## Precious Material:

Gold

## Thread Series Designator:

Unc

Shelf Life:

N/a

## Unit Of Measure:

--

# Demilitarization:

No

## Fiig:

A039b0

# Mil-std (military Standard):

Mil-g-45204 spec.