## NSN 5935-01-104-5966

Electrical Receptacle Connector - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-01-104-5966 **Thread Class:** 2b **Thread Direction:** Right-hand **Body Style:** Straight edge type w/mounting flange **Overall Length:** 2.685 inches **Overall Height:** 0.640 inches **Overall Width:** 0.600 inches **Environmental Protection:** Humidity resistant and shock resistant and vibration resistant **Distance Between Mounting Facility Centers:** 2.352 inches **Threaded Device Type:** Mounting hole **Mating End Quantity: Contact Position Arrangement Style:** 2 rows of independent contacts inserted board single mating end **Contact Removability:** Nonremovable single mating end single contact grouping Thready Qty Per Inch (tpi): 40 **Thread Size:** 0.112 inches **Terminal Location:** Back single mating end single contact grouping **Contact Material:** Copper alloy single mating end single contact grouping **Contact Surface Treatment:** Gold single mating end single contact grouping and nickel single mating end single contact grouping **Insert Material:** Plastic polyester single mating end **Terminal Type:** Pin single mating end single contact grouping **Included Contact Quantity:** 36 single mating end single contact grouping

Included Contact Type:

Leaf spring single mating end single contact grouping

## NSN 5935-01-104-5966

Electrical Receptacle Connector - Page 2 of 2



| <b>Precious Material And Location:</b> |
|--|
| Contact surfaces gold                  |
| <b>Precious Material And Weight:</b>   |
| 0.036 gold grains, troy                |
| Precious Material:                     |
| Gold                                   |
| Thread Series Designator:              |
| Unc                                    |
| Shelf Life:                            |
| N/a                                    |
| Unit Of Measure:                       |
|  |
| Demilitarization:                      |
| No                                     |
|  |

Fiig: A039b0