NSN 5935-01-105-5269

Electrical Receptacle Connector - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-01-105-5269 **Thread Class:** 2b **Thread Direction:** Right-hand **Body Style:** Right angle type **Overall Length:** 2.500 inches **Overall Height:** 0.550 inches **Overall Width:** 0.505 inches **Environmental Protection:** Moisture resistant **Unthreaded Mounting Hole Diameter:** 0.120 inches **Threaded Device Type:** Mounting hole **Mating End Quantity: Contact Removability:** Nonremovable single mating end single contact grouping **Contact Maximum Current Rating In Amps:** 3.0 single mating end single contact grouping **Contact Maximum Dc Voltage Rating In Volts:** 350.0 single mating end single contact grouping **Polarization Method:** Mating end Thready Qty Per Inch (tpi): 40 **Thread Size:** 0.112 inches **Terminal Location:** Side single mating end single contact grouping **Contact Material:** Copper alloy single mating end single contact grouping **Contact Surface Treatment:** Gold single mating end single contact grouping and nickel single mating end single contact grouping **Insert Material:** Plastic polyamide single mating end

Terminal Type:

Pin single mating end single contact grouping

NSN 5935-01-105-5269

Fiig: A039b0

Electrical Receptacle Connector - Page 2 of 2



Included Contact Quantity:
54 single mating end single contact grouping
Included Contact Type:
Round pin single mating end single contact grouping
Special Features:
4 mounting holes, 2 unthreaded spaced 2.200 in. C to c, two threaded holes spaced 2.100 in. C to c
Precious Material And Location:
Contact surfaces gold
Precious Material And Weight:
0.054 gold grains, troy
Precious Material:
Gold
Thread Series Designator:
Unc
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No