## NSN 5935-01-109-2935

Electrical Plug Connector - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-01-109-2935 **Thread Class:** 2b **Thread Direction:** Right-hand **Body Style:** Angle shape w/cable clamp **Overall Diameter:** 2.156 inches **Body Angle In Deg:** 90.0 **Cable Entrance Diameter:** 0.656 inches **Threaded Device Type:** Coupling facility **Mating End Quantity: Contact Position Arrangement Style:** Fk-46 single mating end **Contact Removability:** Nonremovable single mating end single contact grouping **Polarization Method:** Keyway or multiple keyway **Insert Position In Deg:** 0.0 Shell Type: Solid **Connector Locking Method:** Internally threaded coupling nut **Connector Cable Strain Relief Method:** Cable clamp **Distance From Centerline To Connector End:** 

2.594 inches **Distance From Centerline To Cable End:** 2.031 inches Thready Qty Per Inch (tpi): **Thread Size:** 1.812 inches **Terminal Location:** Back single mating end single contact grouping **Contact Material:** Copper alloy single mating end single contact grouping

## NSN 5935-01-109-2935

Electrical Plug Connector - Page 2 of 2



## **Contact Surface Treatment:** Gold single mating end single contact grouping and silver single mating end single contact grouping **Insert Material:** Plastic melamine single mating end **Terminal Type:** Solder well single mating end single contact grouping **Shell Material:** Aluminum alloy **Shell Surface Treatment:** Cadmium and chromate **Included Contact Quantity:** 46 single mating end single contact grouping **Included Contact Type:** Round socket single mating end single contact grouping **Precious Material And Location:** Contact surfaces gold and contact surfaces silver **Precious Material And Weight:** 0.046 gold grains, troy and 0.046 silver grains, troy **Precious Material:** Gold and silver **Thread Series Designator:** Un Shelf Life: N/a **Unit Of Measure:**

**Demilitarization:** 

No Fiig: A039b0