NSN 5935-01-109-7380

Connector Adapter - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-01-109-7380

Thread Class:
2a and 2b
Thread Direction:
Right-hand
Body Style:
Straight shape, external/internal coupling
Overall Length:
1.688 inches
Overall Diameter:
0.688 inches
Threaded Device Type:
Coupling facility
Mating End Quantity:
2
Contact Position Arrangement Style:
N all mating ends
Contact Removability:
Nonremovable all mating ends single contact grouping
Shell Type:
Solid
Connector Locking Method:
Internally threaded coupling nut and externally threaded shell
Radio Frequency Type Contact Characteristic Impedance In Ohms:
50.0 1st mating end single contact grouping75.0 2nd mating end single contact grouping
Thready Qty Per Inch (tpi):
24
Thread Size:
0.625 inches
Contact Material:
Copper alloy all mating ends single contact grouping
Contact Surface Treatment:
Gold all mating ends single contact grouping and nickel all mating ends single contact grouping
Insert Material:
Plastic polytetrafluoroethylene single mating end
Shell Material:
Copper alloy
Shell Surface Treatment:
Nickel
Shell Material Specification:
Qq-b-626 federal specification single material response
Included Contact Quantity:

1 1st mating end single contact grouping1 2nd mating end single contact grouping

NSN 5935-01-109-7380

Connector Adapter - Page 2 of 2



Included	Contact	Type:
moraaca	Contact	. , po.

Coaxial socket 1st mating end single contact groupingcoaxial pin 2nd mating end single contact grouping

Precious Material And Location:

Contact surfaces gold

Precious Material And Weight:

0.010 gold grains, troy

Precious Material:

Gold

Thread Series Designator:

Unef

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A039b0