NSN 5935-01-110-2730

Electrical Receptacle Connector - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-01-110-2730

Body Style: Pcb, external coupling **Overall Length:** 0.438 inches **Overall Height:** 0.172 inches **Overall Width:** 0.172 inches **Environmental Protection:** Corrosion resistant and shock resistant **Mating End Quantity: Contact Position Arrangement Style:** Rf single mating end **Contact Removability:** Nonremovable single mating end single contact grouping **Shell Type:** Solid **Connector Locking Method:** Spring friction **Terminal Location:** Back single mating end single contact grouping **Contact Material:** Copper alloy single mating end single contact grouping **Contact Surface Treatment:** Gold single mating end single contact grouping and copper single mating end single contact grouping **Insert Material:** Plastic polytetrafluoroethylene single mating end **Contact Surface Treatment Specification:** Mil-g-45204, type 2 cl 1 military specification 1st treatment response single mating end single contact grouping **Terminal Type:** Tab, solder lug single mating end single contact grouping **Shell Material:** Copper alloy **Shell Surface Treatment:** Gold and copper **Shell Surface Treatment Specification:** Mil-g-45204 military specification 1st treatment response **Shell Material Specification:**

Included Contact Quantity:

1 single mating end single contact grouping

Qq-b-626, composition 22 federal specification single material response

NSN 5935-01-110-2730

Electrical Receptacle Connector - Page 2 of 2



Included Contact Type: Coaxial pin single mating end single contact grouping Precious Material And Location: Contact and body surfaces gold Precious Material And Weight: 0.105 gold grains, troy Precious Material: Gold Shelf Life: N/a Unit Of Measure: -Demilitarization: No Fiig:

A039b0

Mil-std (military Standard):

Mil-g-45204 spec.