NSN 5935-01-110-7084



Electrical Receptacle Connector Body - Page 1 of 2 View Online at https://aerobasegroup.com/nsn/5935-01-110-7084 **Thread Class:** 2a **Thread Direction:** Right-hand **Body Style:** Straight shape, external coupling w/strain relief **Overall Length:** 2.545 inches **Overall Diameter:** 1.391 inches **Environmental Protection:** Corrosion resistant and moisture proof and vibration resistant **Cable Entrance Diameter:** 0.554 inches **Distance From Mounting Shoulder To Front Face:** 0.771 inches **Mounting Facility Thickness:** Between 0.062 inches and 0.125 inches **Threaded Device Type:** Mounting bushing **Mating End Quantity:** 1 **Contact Position Arrangement Style:** 4 number 12 single mating end **Polarization Method:** Keyway or multiple keyway **Insert Position In Deg:** 0.0 Shell Type: Solid **Connector Locking Method:** Bayonet pin **Connector Cable Strain Relief Method:** Cable clamp Thready Qty Per Inch (tpi): 20 **Thread Size:** 0.938 inches **Insert Material:** Plastic diallyl phthalate single mating end

Shell Material: Stainless steel

NSN 5935-01-110-7084

Electrical Receptacle Connector Body - Page 2 of 2



Bushing Accommodation Hole Shape:
Round w/flat
Thread Series Designator:
Unef
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No

Fiig: A039b0