## NSN 5935-01-111-4549

Connector Adapter - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-01-111-4549

**Body Style:** 

Straight shape w/flange

**Overall Length:** 

1.770 inches

**Overall Height:** 

1.562 inches

**Overall Width:** 

1.562 inches

**Environmental Protection:** 

Moisture resistant and vibration resistant

**Unthreaded Mounting Hole Diameter:** 

0.120 inches

Center To Center Distance Between Mounting Facilities Parallel To Height:

1.250 inches

Distance Between Centerlines Of Mounting Facilities Parallel To Body Width:

1.250 inches

**Distance From Mounting Shoulder To Front Face:** 

0.922 inches

**Mating End Quantity:** 

----

**Contact Position Arrangement Style:** 

55 number 20 all mating ends

**Contact Removability:** 

Removable all mating ends single contact grouping

**Contact Maximum Current Rating In Amps:** 

7.5 all mating ends single contact grouping

**Polarization Method:** 

Keyway or multiple keyway

Insert Position In Deg:

101.0 and 168.0 and 211.0 and 342.0

Shell Type:

Solid

**Connector Locking Method:** 

Bayonet latch and bayonet pin

**Contact Material:** 

Copper alloy all mating ends single contact grouping

**Contact Surface Treatment:** 

Nickel all mating ends single contact grouping and gold all mating ends single contact grouping

**Insert Material:** 

Plastic diallyl phthalate all mating ends or plastic epoxy all mating ends

**Contact Surface Treatment Specification:** 

Qq-n-290 federal specification 1st treatment response all mating ends single contact grouping or mil-c-26074, cl 3 military specification 1st treatment response all mating ends single contact grouping and mil-g-45204 military specification 2nd treatment response all mating ends single contact grouping

## NSN 5935-01-111-4549

Connector Adapter - Page 2 of 2

Mil-std (military Standard):

Mil-c-26074 spec.



Contact Material Specification:
Qq-c-502 federal specification single material response all mating ends single contact grouping
Shell Material:
Aluminum alloy 2024
Shell Surface Treatment:
Nickel
Shell Surface Treatment Specification:
Mil-c-26074 military specification single treatment response
Shell Material Specification:
Qq-a-225 federal specification single material response
Insert Material Specification:
Mil-m-14 military specification single material response all mating ends or mil-m-18177 military specification single material response all
mating ends
Included Contact Quantity:
55 2nd mating end single contact grouping
Included Contact Type:
Round socket 2nd mating end single contact grouping
Precious Material And Location:
Contact surfaces gold
Precious Material And Weight:
0.110 gold grains, troy
Precious Material:
Gold
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig:
A039b0