Electrical Receptacle Connector - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-01-111-5568

| Body Style: |
|--|
| Straight shape duplex |
| Overall Width: |
| 1.750 inches |
| Body Length: |
| 2.875 inches |
| Environmental Protection: |
| Heat resistant and salt water resistant |
| Distance Between Mounting Facility Centers: |
| 3.281 inches |
| Mating End Quantity: |
| 2 |
| Contact Position Arrangement Style: |
| "3, 5-50, 6-50" all mating ends |
| Contact Removability: |
| Nonremovable all mating ends all contact groupings |
| Contact Maximum Current Rating In Amps: |
| 15.0 all mating ends all contact groupings |
| Contact Maximum Ac Voltage Rating In Volts: |
| 125.0 all mating ends all contact groupings |
| Polarization Method: |
| Contact |
| Terminal Location: |
| Back all mating ends all contact groupings |
| Contact Material: |
| Copper alloy all mating ends all contact groupings |
| Terminal Type: |
| Screw all mating ends all contact groupings |
| Included Contact Quantity: |
| 2 2nd mating end 2nd contact grouping |
| Included Contact Type: |
| Flat socket 2nd mating end 2nd contact grouping |
| Color: |
| Brown |
| Test Data Document: |
| 81348-w-c-596 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification formation |
| excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental |
| and performance requirements and test conditions that are shown as "typical", "average", "", etc.). |
| Specification Data: |
| 81348-w-c-596/12 government specification |
| Shelf Life: |

Shelf Life:

N/a

Unit Of Measure:

Electrical Receptacle Connector - Page 2 of 2



Demilitarization:

No

Fiig:

A039b0