Electrical Plug Connector - Page 1 of 2

View Online at https://aerobasegroup.com/nsn/5935-01-112-5297

# **Thread Class:**

2b

**Thread Direction:** 

Right-hand

# Body Style:

Angle, shape, internal coupling

## **Overall Length:**

1.480 inches

#### **Overall Height:**

1.130 inches

#### Overall Diameter:

0.630 inches

### Cable Entrance Diameter:

0.260 inches

#### **Threaded Device Type:**

# Coupling facility

Mating End Quantity:

1

## **Contact Position Arrangement Style:**

Tnc single mating end

## Contact Removability:

Nonremovable single mating end single contact grouping

# Contact Maximum Ac Voltage Rating In Volts:

500.0 single mating end single contact grouping

#### Shell Type:

Solid

### Connector Locking Method:

Internally threaded coupling ring

### **Connector Cable Strain Relief Method:**

Compression nut

### Radio Frequency Type Contact Characteristic Impedance In Ohms:

50.0 single mating end single contact grouping

### Thready Qty Per Inch (tpi):

28

#### **Thread Size:**

0.437 inches

## **Terminal Location:**

Back single mating end single contact grouping

#### **Contact Material:**

Copper alloy single mating end single contact grouping

### **Contact Surface Treatment:**

Gold single mating end single contact grouping and silver single mating end single contact grouping



# NSN 5935-01-112-5297

Electrical Plug Connector - Page 2 of 2



Insert Material:

Plastic tetrafluoroethylene single mating end

### **Terminal Type:**

Solder well single mating end single contact grouping

# **Contact Material Specification:**

Qq-c-530, cond ht federal specification single material response single mating end single contact grouping

### Shell Material:

Copper alloy

### Shell Surface Treatment:

Gold and silver

### **Shell Material Specification:**

Qq-b-626, comp 22, 1/2 h federal specification single material response

### **Included Contact Quantity:**

1 single mating end single contact grouping

#### **Included Contact Type:**

Coaxial socket single mating end single contact grouping

### **Precious Material And Location:**

Contact and shell surfaces gold and contact and shell surfaces silver

# **Precious Material And Weight:**

0.105 gold grains, troy and 0.105 silver grains, troy

**Precious Material:** 

Gold and silver

# **Thread Series Designator:**

Unc

Shelf Life:

N/a

```
Unit Of Measure:
```

--

Demilitarization:

No

Fiig:

A039b0