

View Online at <https://aerobasegroup.com/nsn/5935-01-112-5432>

Thread Class:

2a

Thread Direction:

Right-hand

Body Style:

Straight shape, external/internal coupling

Overall Length:

0.881 inches

Overall Diameter:

0.182 inches

Threaded Device Type:

Coupling facility

Mating End Quantity:

2

Contact Position Arrangement Style:

Nonstd all mating ends

Contact Removability:

Nonremovable all mating ends all contact groupings

Shell Type:

Solid

Connector Locking Method:

Bayonet latch and externally threaded coupling nut

Thready Qty Per Inch (tpi):

40

Thread Size:

0.138 inches

Contact Surface Treatment:

Gold all mating ends all contact groupings and copper all mating ends all contact groupings

Contact Surface Treatment Specification:

Mil-g-45204 military specification 1st treatment response all mating ends all contact groupings and mil-c-14550 military specification 2nd treatment response all mating ends all contact groupings

Shell Surface Treatment:

Gold and copper

Shell Surface Treatment Specification:

Mil-g-45204 military specification 1st treatment response and mil-c-14550 military specification 2nd treatment response

Included Contact Quantity:

1 all mating ends all contact groupings

Included Contact Type:

Coaxial socket 2nd mating end 2nd contact grouping

Precious Material And Location:

Contact and shell surfaces gold

Precious Material And Weight:

0.110 gold grains, troy

Precious Material:

Gold

Thread Series Designator:

Unf

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A039b0

Mil-std (military Standard):

Mil-g-45204 spec.