Electrical Receptacle Connector - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-01-112-6141

# Thread Class:

2a

**Thread Direction:** 

Right-hand

# Body Style:

Straight shape, thru-hole mount, external coupling

### **Overall Length:**

1.619 inches

### **Overall Diameter:**

1.812 inches

**Environmental Protection:** 

Moisture resistant

### **Distance From Mounting Shoulder To Front Face:**

0.884 inches

### Mounting Facility Thickness:

Between 0.062 inches and 0.250 inches

# **Threaded Device Type:**

Mounting bushing

### Mating End Quantity:

1

### **Contact Position Arrangement Style:**

20-39 single mating end

### **Contact Removability:**

Nonremovable single mating end all contact groupings

# Contact Maximum Current Rating In Amps:

7.5 single mating end 2nd contact grouping

# Contact Maximum Ac Voltage Rating In Volts:

500.0 single mating end all contact groupings

# Contact Maximum Dc Voltage Rating In Volts:

700.0 single mating end all contact groupings

### **Polarization Method:**

Keyway or multiple keyway

### **Insert Position In Deg:**

0.0

Shell Type:

Potting

Connector Locking Method:

Bayonet pin

### **Connector Cable Strain Relief Method:**

Potting type

Thready Qty Per Inch (tpi):

# NSN 5935-01-112-6141

Electrical Receptacle Connector - Page 2 of 2



# Thread Size: 1.375 inches Terminal Location: Back single mating end all contact groupings Contact Material: Copper alloy single mating end all contact groupings Contact Surface Treatment: Gold single mating end all contact groupings and silver single mating end all contact groupings Insert Material:

Rubber single mating end

### **Terminal Type:**

Solder well single mating end all contact groupings

### Shell Material:

Aluminum alloy

### Shell Surface Treatment:

Cadmium and chromate

### **Included Contact Quantity:**

37 single mating end 2nd contact grouping

### **Bushing Accommodation Hole Shape:**

Round

### Included Contact Type:

Round pin single mating end all contact groupings

# **Precious Material And Location:**

Contact surfaces gold and contact surfaces silver

# **Precious Material And Weight:**

0.039 gold grains, troy and 0.039 silver grains, troy

### **Precious Material:**

Gold and silver

### Thread Series Designator:

Unef

# Shelf Life:

N/a

# Unit Of Measure:

---

### Demilitarization:

No

Fiig:

A039b0