# NSN 5935-01-113-0616

**Thread Class:** 

Electrical Receptacle Connector - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-01-113-0616

2b and 2a
Thread Direction:
Right-hand
Body Style:
Right angle type
Overall Length:
2.200 inches
Overall Height:
0.678 inches
Overall Width:
0.340 inches
Distance Between Mounting Facility Centers:
1.900 inches
Threaded Device Type:
Coupling facility and mounting stud
Mating End Quantity:
1
Contact Position Arrangement Style:
2 rows of contacts non-inserted board single mating end
Contact Removability:
Nonremovable single mating end single contact grouping
Contact Maximum Current Rating In Amps:
5.0 single mating end single contact grouping
Polarization Method:
Jackscrew
Connector Locking Method:
Jackscrew-socket
Thready Qty Per Inch (tpi):
56
Thread Size:
0.086 inches
Terminal Location:
Back single mating end single contact grouping
Contact Material:
Copper alloy single mating end single contact grouping
Contact Surface Treatment:
Gold single mating end single contact grouping and nickel single mating end single contact grouping
Insert Material:
Plastic diallyl phthalate single mating end
Terminal Type:
Tab, solder lug single mating end single contact grouping

## NSN 5935-01-113-0616

Electrical Receptacle Connector - Page 2 of 2



#### **Contact Material Specification:**

Qq-b-750, comp a federal specification single material response single mating end single contact grouping

#### **Insert Material Specification:**

Mil-m-14f, type sdgf military specification single material response single mating end

#### **Unable To Decode:**

Unable to decode and unable to decode

#### **Included Contact Quantity:**

24 single mating end single contact grouping

#### **Included Contact Type:**

Hermaphrodite single mating end single contact grouping

#### **Special Features:**

Jackscrew type-female and location-right handandjackscrew type-female and location-left hand

#### **Precious Material And Location:**

Contact surfaces gold

#### **Precious Material And Weight:**

0.024 gold grains, troy

#### **Precious Material:**

Gold

#### **Thread Series Designator:**

Unc

#### Shelf Life:

N/a

### **Unit Of Measure:**

--

## Demilitarization:

No

## Fiig:

A039b0

### Mil-std (military Standard):

Mil-m-14f spec.