NSN 5935-01-114-4108

Electrical Plug Connector - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-01-114-4108
Thread Class:
2a and 2b
Thread Direction:
Right-hand and right-hand
Body Style:
Straight shape, internal coupling
Overall Length:
2.189 inches
Overall Diameter:
1.968 inches
Threaded Device Type:
Back shell and coupling facility
Mating End Quantity:
1
Contact Position Arrangement Style:
28-2 single mating end
Contact Removability:
Removable single mating end all contact groupings
Contact Maximum Current Rating In Amps:
41.0 single mating end 1st contact grouping22.0 single mating end 2nd contact grouping
Contact Maximum Ac Voltage Rating In Volts:
900.0 single mating end all contact groupings
Contact Maximum Dc Voltage Rating In Volts:
1250.0 single mating end all contact groupings
Polarization Method:
Keyway or multiple keyway
Insert Position In Deg:
110.0
Shell Type: Solid
Connector Locking Method:
Internally threaded coupling nut Thready Oty Por Inch (tni):
Thready Qty Per Inch (tpi): 18 and 18
Thread Size:
1.438 inches and 1.750 inches
Terminal Location:
Back single mating end all contact groupings Contact Material:
Copper alloy single mating end all contact groupings
Copper alloy single mating end all contact groupings Contact Surface Treatment:
Gold single mating end all contact groupings and silver single mating end all contact groupings or silver single mating end all contact
groupings

NSN 5935-01-114-4108Electrical Plug Connector - Page 2 of 2



Insert Material:
Rubber single mating end
Terminal Type:
Solder well single mating end all contact groupings
Shell Material:
Aluminum alloy
Shell Surface Treatment:
Cadmium and chromate
Shell Surface Treatment Specification:
Qq-p-416, type 2, class 3 federal specification all treatment responses
Included Contact Quantity:
2 single mating end 1st contact grouping12 single mating end 2nd contact grouping
Included Contact Type:
Round pin single mating end all contact groupings
Precious Material And Location:
Contact surfaces gold and contact surfaces silver or contact surfaces silver
Precious Material And Weight:
0.022 gold grains, troy and 0.022 silver grains, troy or 0.022 silver grains, troy
Precious Material:
Gold and silver or silver
Thread Series Designator:
Unef and uns
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig:
A039b0