

etc., that reflect specification type data in specification

View Online at https://aerobasegroup.com/nsn/5935-01-115-1961

Body Material:
Plastic
Body Style:
Rectangular
Overall Length:
1.710 inches
Overall Height:
0.880 inches
Overall Width:
1.000 inches
Mounting Hole Diameter:
0.125 inches
Body Mounting Hole Accommodation Length:
1.075 inches
Body Mounting Hole Accommodation Width:
1.000 inches
Mounting Hole Style:
Rectangular, w/three mounting holes/slots
Contact Maximum Current Rating In Amps:
10.0
Contact Material:
Copper alloy
Contact Surface Treatment:
Copper and gold
Accommodated Contact Quantity:
14
Center To Center Distance Between Outside Mounting Holes Along Length:
1.406 inches
Center To Center Distance Between Outside Mounting Holes Along Width:
0.625 inches
Polarization Type:
Contact position
Mounting Method:
Unthreaded hole
Mounting Type For Which Designed:
Chassis
Contact Position Arrangement Style:
Irregular
Test Data Document:
81349-mil-s-12883/40 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification type data in specification type data in specification type data in specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification type data in specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification (includes engineering type bulletins, brochures, etc., the specification type data in specification (includes engineering type bulletins, brochures, etc., the specification type data in specification (includes engineering type bulletins, brochures, etc., the specification type data in specification (includes engineering type bulletins, brochures, etc., the specification type data in specification (includes engineering type bulletins, brochures, etc., the specification type data in specification (includes engineering type bulletins, brochures, etc., the specification type data in specification (includes engineering type bulletins, brochures, etc., the specification type data in specification (includes engineering type bulletins, brochures, etc., the specification type data in specification (includes engineering type bulletins, brochures, etc., the specification type data in specification (includes engineering type data in specification type data in specification type data in specification (includes engineering type data in specification type data in specification type data in specification (includes engineering type data in
format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain

environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.).

Terminal Type And Quantity:

14 crimp



Shelf Life:

N/a

Unit Of Measure:

Demilitarization:

No

Fiig:

A02300