Electrical Receptacle Connector - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-01-115-9750

#### **Body Style:**

Straight type

**Overall Length:** 

1.040 inches

# **Overall Width:**

0.238 inches

#### Body Height:

0.320 inches

#### **Environmental Protection:**

Thermal shock resistant

# Mating End Quantity:

1

#### **Contact Position Arrangement Style:**

2 rows of independent contacts inserted board single mating end

#### **Contact Removability:**

Nonremovable single mating end single contact grouping

## **Contact Maximum Current Rating In Amps:**

3.0 single mating end single contact grouping

#### **Terminal Location:**

Back single mating end single contact grouping

# Contact Surface Treatment:

Gold single mating end single contact grouping and nickel single mating end single contact grouping

## **Insert Material:**

Glass single mating end and plastic polyamide single mating end

## **Contact Surface Treatment Specification:**

Mil-g-45204, type 2 military specification 1st treatment response single mating end single contact grouping and qq-n-290, cl 2 federal

specification 2nd treatment response single mating end single contact grouping

# **Terminal Type:**

Pin single mating end single contact grouping

#### **Included Contact Quantity:**

20 single mating end single contact grouping

#### Included Contact Type:

Hermaphrodite single mating end single contact grouping

#### **Special Features:**

Printed circuit board mounted

## **Precious Material And Location:**

Contact surfaces gold

## **Precious Material And Weight:**

0.020 gold grains, troy

#### **Precious Material:**

Gold

# Shelf Life:

N/a

Electrical Receptacle Connector - Page 2 of 2



Unit Of Measure:

--

Demilitarization:

No

Fiig:

A039b0

Mil-std (military Standard):

Mil-g-45204 spec.