## NSN 5935-01-118-6356

33 single mating end single contact grouping

**Thread Class:** 

Electrical Receptacle Connector - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-01-118-6356

2a
Thread Direction:
Right-hand
Body Style:
Straight shape w/jackscrew
Overall Length:
1.400 inches
Overall Width:
0.870 inches
Distance Between Mounting Facility Centers:
1.090 inches
Threaded Device Type:
Coupling facility
Mating End Quantity:
1
Contact Removability:
Removable single mating end single contact grouping
Contact Maximum Current Rating In Amps:
3.0 single mating end single contact grouping
Polarization Method:
Polarization boss
Connector Locking Method:
Jackscrew-socket
Thready Qty Per Inch (tpi):
40
Thread Size:
0.125 inches
Terminal Location:
Back single mating end single contact grouping
Contact Material:
Copper alloy single mating end single contact grouping
Contact Surface Treatment:
Gold single mating end single contact grouping and nickel single mating end single contact grouping
Insert Material:
Glass single mating end and plastic diallyl phthalate single mating end
Terminal Type:
Wire wrap single mating end single contact grouping
Contact Material Specification:
Qq-b-750 federal specification single material response single mating end single contact grouping
Included Contact Quantity:

## NSN 5935-01-118-6356

Electrical Receptacle Connector - Page 2 of 2



## Included Contact Type: Hermaphrodite single mating end single contact grouping Special Features: Four mtg holes spaced 1.090 in. By 0.468 in. Precious Material And Location: Contact surfaces gold Precious Material And Weight: 0.033 gold grains, troy Precious Material: Gold Thread Series Designator: Unc Shelf Life: N/a Unit Of Measure: ---

Demilitarization:

No Fiig: A039b0