Electrical Connector Backshell - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-01-122-1017

| Thread Class:   |
|---|
| 2b  |
| Thread Direction:   |
| Right-hand  |
| Seal Material:  |
| Plastic   |
| Overall Width:  |
| 1.312 inches  |
| Body Angle In Deg:  |
| 90.0  |
| Cable Opening Diameter:   |
| Between 0.350 inches and 0.625 inches   |
| Distance From Centerline To Cable End:  |
| 4.114 inches  |
| Thread Length:  |
| 0.290 inches  |
| Cable Opening Quantity:   |
| 1   |
| Seal Type:  |
| Preformed packing   |
| Size Designation:   |
| 10 and 18   |
| Mounting Facility Type And Quantity:  |
| 1 threaded coupling   |
| Thready Qty Per Inch (tpi):   |
| 18  |
| Thread Size:  |
| 1.062 inches  |
| Material:   |
| Aluminum alloy  |
| Surface Treatment:  |
| Cadmium   |
| Style Designator:   |
| Angle type w/clamp  |
| Surface Treatment:  |
| Cadmium   |
| Test Data Document:   |
| 81349-mil-c-5015 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification |
| format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain         |
| environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.).                           |
| Thread Series Designator  |

## Thread Series Designator:

Unef

Specification Data:

96906-ms3188 government standard

Electrical Connector Backshell - Page 2 of 2



Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A10100

## Mil-std (military Standard):

Mil-c-5015 spec.