Electrical Receptacle Connector - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-01-122-4208

### **Body Style:**

Straight shape, flush mount

### **Overall Length:**

0.984 inches

### **Overall Height:**

1.688 inches

## **Overall Width:**

3.375 inches

#### **Unthreaded Mounting Hole Diameter:**

0.144 inches

### Center To Center Distance Between Mounting Facilities Parallel To Height:

#### 1.000 inches

Distance Between Centerlines Of Mounting Facilities Parallel To Body Width:

#### 2.875 inches

Distance From Mounting Shoulder To Front Face:

## 0.828 inches

Mating End Quantity:

1

### **Contact Position Arrangement Style:**

28 single mating end

### **Contact Removability:**

Nonremovable single mating end single contact grouping

#### **Polarization Method:**

Mating end

### Shell Type:

Solid

**Terminal Location:** 

Back single mating end single contact grouping

#### **Contact Material:**

Copper alloy single mating end single contact grouping

## **Contact Surface Treatment:**

Gold single mating end single contact grouping and silver single mating end single contact grouping

Insert Material:

Plastic single mating end

# **Terminal Type:**

Tapered pin single mating end single contact grouping

## Shell Material:

Aluminum alloy

# Shell Surface Treatment:

Cadmium

## Shell Surface Treatment Specification:

Qq-p-416, type 2, cl 1 federal specification single treatment response

Electrical Receptacle Connector - Page 2 of 2



**Insert Material Specification:** Mil-m-14, ty cmg military specification single material response single mating end **Included Contact Quantity:** 28 single mating end single contact grouping Included Contact Type: Round socket single mating end single contact grouping **Precious Material And Location:** Contact surfaces gold and contact surfaces silver **Precious Material And Weight:** 0.028 gold grains, troy and 0.028 silver grains, troy **Precious Material:** Gold and silver Shelf Life: N/a Unit Of Measure: ---**Demilitarization:** No Fiig: A039b0 Mil-std (military Standard): Mil-m-14 spec.