Electrical Receptacle Connector - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-01-123-9906

### **Body Style:**

Straight edge type w/mounting flange

### **Overall Length:**

2.055 inches

## **Overall Height:**

0.687 inches

### **Overall Width:**

0.838 inches

#### **Environmental Protection:**

Corrosion resistant and humidity resistant and thermal shock resistant and vibration resistant

## **Unthreaded Mounting Hole Diameter:**

#### 0.125 inches

**Distance Between Mounting Facility Centers:** 

1.795 inches

#### **Board Accommodated Length:**

1.535 inches single board

### **Board Accommodated Width:**

Between 0.054 inches and 0.071 inches

#### Mating End Quantity:

1

#### **Contact Position Arrangement Style:**

2 rows of independent contacts inserted board single mating end

#### **Contact Removability:**

Nonremovable single mating end single contact grouping

## **Contact Maximum Current Rating In Amps:**

3.0 single mating end single contact grouping

## Contact Maximum Dc Voltage Rating In Volts:

800.0 single mating end single contact grouping

#### **Polarization Method:**

Contact

#### **Terminal Location:**

Back single mating end single contact grouping

#### **Contact Material:**

Copper alloy single mating end single contact grouping

## **Contact Surface Treatment:**

Gold single mating end single contact grouping and nickel single mating end single contact grouping

## **Insert Material:**

Plastic diallyl phthalate single mating end

## **Contact Surface Treatment Specification:**

Mil-g-45204 type 2 military specification 1st treatment response single mating end single contact grouping

#### **Terminal Type:**

Tab, solder lug single mating end single contact grouping



# Insert Material Specification:

Mil-p-19833, ty gdi-30 military specification single material response single mating end or mil-m-14, ty sdg military specification single

material response single mating end

# Included Contact Quantity:

20 single mating end single contact grouping

# Included Contact Type:

Bifurcated accordian leaf spring single mating end single contact grouping

Precious Material And Location:

Contact surfaces gold

# **Precious Material And Weight:**

0.020 gold grains, troy

# Precious Material:

Gold

Shelf Life:

N/a

## Unit Of Measure:

--

## Demilitarization:

No

# Fiig:

A039b0

# Mil-std (military Standard):

Mil-g-45204 spec.