NSN 5935-01-125-6718

Electrical Receptacle Connector - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-01-125-6718

Body Style:
Right angle type
Overall Length:
3.840 inches
Overall Height:
0.670 inches
Overall Width:
0.353 inches
Environmental Protection:
Shock resistant and vibration resistant and humidity resistant and corrosion resistant
Unthreaded Mounting Hole Diameter:
0.097 inches
Distance Between Mounting Facility Centers:
3.640 inches
Mating End Quantity:
1
Contact Removability:
Nonremovable single mating end single contact grouping
Polarization Method:
Guide pin/socket
Connector Locking Method:
Friction
Terminal Location:
Side single mating end single contact grouping
Contact Material:
Copper alloy single mating end single contact grouping
Contact Surface Treatment:
Gold single mating end single contact grouping and nickel single mating end single contact grouping
Contact Surface Treatment Specification:
Mil-g-45204, type 2, cl 1, gr c military specification 1st treatment response single mating end single contact grouping and qq-n-290, cl 1
federal specification 2nd treatment response single mating end single contact grouping
Terminal Type:
Pin single mating end single contact grouping
Unable To Decode:
Unable to decode and unable to decode
Included Contact Quantity:
99 single mating end single contact grouping
Included Contact Type:
Round pin single mating end single contact grouping
Precious Material And Location:

0.099 gold grains, troy

Precious Material And Weight:

Contact surfaces gold

NSN 5935-01-125-6718

Electrical Receptacle Connector - Page 2 of 2



Precious Material:
Gold
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
Yes - demil/mli
Fiig:
A039b0
Mil-std (military Standard):

Mil-g-45204 spec.