NSN 5935-01-127-2994

Electrical Receptacle Connector - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-01-127-2994 **Body Style:** Straight shape threaded **Threaded Device Type:** Mounting bushing **Mating End Quantity: Contact Maximum Current Rating In Amps:** 13.0 single mating end single contact grouping **Contact Maximum Dc Voltage Rating In Volts:** 300.0 single mating end single contact grouping **Polarization Method:** Key, multiple key groove **Connector Locking Method:** Bayonet pin **End Application:** B52g/h oas **Terminal Location:** Back single mating end single contact grouping **Contact Material:** Copper alloy single mating end single contact grouping **Contact Surface Treatment:** Gold single mating end single contact grouping **Terminal Type:** Solder well single mating end single contact grouping **Shell Material:** Aluminum alloy **Shell Surface Treatment:** Nickel and cadmium **Included Contact Quantity:** 11 single mating end single contact grouping Round pin single mating end single contact grouping

Included Contact Type: Precious Material And Location: Contacts gold **Precious Material:** Gold Shelf Life: N/a **Unit Of Measure: Demilitarization:** No

NSN 5935-01-127-2994

Electrical Receptacle Connector - Page 2 of 2



Fiig:

A039b0