NSN 5935-01-128-5799

Electrical Receptacle Connector Body - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-01-128-5799 **Thread Class:** 2a **Thread Direction:** Right-hand **Body Style:** Straight shape **Overall Length:** 1.435 inches **Overall Height:** 0.430 inches **Overall Width:** 0.345 inches **Environmental Protection:** Thermal shock resistant and moisture resistant and vibration resistant and shock resistant **Distance Between Mounting Facility Centers:** 1.215 inches **Threaded Device Type:** Coupling facility **Mating End Quantity: Contact Position Arrangement Style:** 51 single mating end **Polarization Method:** Jackscrew Shell Type: Solid **Connector Locking Method:** Jackscrew Thready Qty Per Inch (tpi): 56 **Thread Size:** 0.086 inches **Insert Material:** Plastic diallyl phthalate single mating end **Shell Material:** Aluminum **Shell Surface Treatment:** Cadmium

Shell Surface Treatment Specification:

Qq-p-416, ty ii, cl 3 federal specification single treatment response

Shell Material Specification:

Qq-a-591, comp a380 federal specification single material response

NSN 5935-01-128-5799

Electrical Receptacle Connector Body - Page 2 of 2



| Insert Material Specification |
|-------------------------------|
|-------------------------------|

Mil-m-14, ty sdg-f military specification single material response single mating end

Unable To Decode:

Unable to decode and unable to decode

Thread Series Designator:

Unc

Shelf Life:

N/a

Unit Of Measure:

Demilitarization:

No

Fiig:

A039b0

Mil-std (military Standard):

Mil-m-14 spec.