NSN 5935-01-128-6104

Electrical Receptacle Connector Body - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-01-128-6104	
Thread Class:	
2b and 2a and 2a	
Thread Direction:	
Right-hand and right-hand and right-hand	
Body Style:	
Rectangular shape center screwlock	
Overall Length:	
2.780 inches	
Center To Center Distance Between Mounting Facilities Parallel To Length:	
2.460 inches	
Overall Height:	
0.810 inches	
Overall Width:	
0.725 inches	
Unthreaded Mounting Hole Diameter:	
0.116 inches	
Threaded Device Type:	
Coupling facility and coupling facility and mounting stud	
Mating End Quantity:	
1	
Contact Position Arrangement Style:	
88 single mating end	
Polarization Method:	
Polarization boss and guide pin/socket	
Shell Type:	
Solid	
Connector Locking Method:	
Screw	
Thready Qty Per Inch (tpi):	

32 and 32 and 40

Thread Size:

0.138 inches and 0.138 inches and 0.138 inches

Insert Material:

Plastic diallyl phthalate single mating end and glass single mating end

Shell Material:

Steel comp 302 or steel comp 303 or steel comp 304

Shell Surface Treatment:

Passivate

Shell Surface Treatment Specification:

Qq-p-35, type 2 federal specification single treatment response

Shell Material Specification:

Qq-s-766, type 302 federal specification single material response

NSN 5935-01-128-6104

Electrical Receptacle Connector Body - Page 2 of 2



Insert Material Specification

Mil-m-14, type sdg-f military specification single material response single mating end

Color:

Green

Thread Series Designator:

Unc and unc and unc

Shelf Life:

N/a

Unit Of Measure:

Demilitarization:

No

Fiig:

A039b0

Mil-std (military Standard):

Mil-m-14 spec.