## NSN 5935-01-136-4311

Electrical Receptacle Connector - Page 1 of 2



| View Online at https://aerobasegroup.com/nsn/5935-01-136-4311               |
|---|
| Body Style:   |
| Straight shape, external coupling   |
| Overall Length:   |
| 1.188 inches  |
| Overall Height:   |
| 1.250 inches  |
| Overall Width:  |
| 1.250 inches  |
| Unthreaded Mounting Hole Diameter:  |
| 0.180 inches  |
| Center To Center Distance Between Mounting Facilities Parallel To Height:   |
| 0.938 inches  |
| Distance Between Centerlines Of Mounting Facilities Parallel To Body Width: |
| 0.938 inches  |
| Distance From Mounting Shoulder To Front Face:                              |
| 0.688 inches  |
| Mating End Quantity:  |
| 1   |
| Contact Position Arrangement Style:   |
| Bnc single mating end   |
| Contact Removability:   |
| Removable single mating end single contact grouping                         |
| Shell Type:   |
| Solid   |
| Connector Locking Method:   |
| Bayonet pin   |
| Radio Frequency Type Contact Characteristic Impedance In Ohms:              |
| 50.0 single mating end single contact grouping                              |
| Terminal Location:  |
| Back single mating end single contact grouping                              |
| Contact Surface Treatment:  |
| Gold single mating end single contact grouping                              |
| Terminal Type:  |
| Crimp single mating end single contact grouping                             |
| Shell Material:   |
| Copper alloy  |
| Included Contact Quantity:  |
| 1 single mating end single contact grouping                                 |
| Included Contact Type:  |
| Coaxial socket single mating end single contact grouping                    |
| Shelf Life:   |

N/a

## NSN 5935-01-136-4311

Electrical Receptacle Connector - Page 2 of 2



|   |    | • • |             |          |  |
|---|----|-----|-------------|----------|--|
| ш | ın | 10  | <i>(</i> )+ | Measure: |  |
|   |    |     |             |          |  |

--

Demilitarization:

No

Fiig:

A039b0