NSN 5935-01-137-5278

Electrical Receptacle Connector - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-01-137-5278

| Body Style: |
|---|
| Right angle type |
| Overall Length: |
| 5.450 inches |
| Overall Height: |
| 0.586 inches |
| Overall Width: |
| 0.338 inches |
| Environmental Protection: |
| Moisture resistant and vibration resistant |
| Unthreaded Mounting Hole Diameter: |
| 0.098 inches |
| Distance Between Mounting Facility Centers: |
| 5.000 inches |
| Mating End Quantity: |
| 1 |
| Contact Removability: |
| Nonremovable single mating end single contact grouping |
| Contact Maximum Current Rating In Amps: |
| 3.0 single mating end single contact grouping |
| Terminal Location: |
| Side single mating end single contact grouping |
| Contact Material: |
| Copper alloy single mating end single contact grouping |
| Contact Surface Treatment: |
| Gold single mating end single contact grouping and nickel single mating end single contact grouping |
| Insert Material: |
| Plastic diallyl phthalate single mating end or plastic polyamide single mating end |
| Contact Surface Treatment Specification: |
| Mil-g-45204, type 2, grade c, cl 1 military specification 1st treatment response single mating end single contact grouping and qq-n-290, cl |
| federal specification 2nd treatment response single mating end single contact grouping |
| Terminal Type: |
| Pin single mating end single contact grouping |
| Contact Material Specification: |
| Qq-b-613, comp 260 federal specification single material response single mating end single contact grouping |
| Included Contact Quantity: |
| |

92 single mating end single contact grouping

Included Contact Type:

D-pin single mating end single contact grouping

Precious Material And Location:

Contact surfaces gold

Precious Material And Weight:

0.092 gold grains, troy

NSN 5935-01-137-5278

Electrical Receptacle Connector - Page 2 of 2



| Precious Material: |
|------------------------------|
| Gold |
| Shelf Life: |
| N/a |
| Unit Of Measure: |
| |
| Demilitarization: |
| No |
| Fiig: |
| A039b0 |
| Mil-std (military Standard): |

Mil-g-45204 spec.