## NSN 5935-01-139-5065

Electrical Receptacle Connector - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-01-139-5065 **Thread Class:** 2b **Thread Direction:** Right-hand **Body Style:** Rectangular shape **Overall Length:** 0.437 inches **Overall Height:** 0.750 inches **Overall Width:** 0.125 inches **Threaded Device Type:** Mounting hole **Mating End Quantity: Contact Position Arrangement Style:** 2 single mating end **Contact Removability:** Nonremovable single mating end all contact groupings **Contact Maximum Current Rating In Amps:** 7.5 single mating end all contact groupings **Contact Maximum Ac Voltage Rating In Volts:** 800.0 single mating end all contact groupings **Polarization Method:** Contact Thready Qty Per Inch (tpi): 56 Thread Size: 0.086 inches **Terminal Location:** Back single mating end all contact groupings **Contact Material:** Copper alloy single mating end all contact groupings **Contact Surface Treatment:** Gold single mating end all contact groupings and silver single mating end all contact groupings **Insert Material:** Plastic melamine mineral filled single mating end **Terminal Type:** Solder well single mating end all contact groupings

**Included Contact Quantity:** 

1 single mating end 2nd contact grouping

## NSN 5935-01-139-5065

Electrical Receptacle Connector - Page 2 of 2



## **Included Contact Type:** Round socket single mating end 2nd contact grouping **Special Features:** Mtg hole on side **Precious Material And Location:** Contact surfaces gold and contact surfaces silver **Precious Material And Weight:** 0.002 gold grains, troy and 0.002 silver grains, troy **Precious Material:** Gold and silver **Thread Series Designator:** Unc Shelf Life: N/a **Unit Of Measure:** Demilitarization: No

Fiig: A039b0