Electrical Receptacle Connector Body - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-01-140-1473

| Thread Class:   |
|---|
| 2a  |
| Thread Direction:   |
| Right-hand  |
| Body Style:   |
| Straight shape  |
| Overall Length:   |
| 2.520 inches  |
| Overall Width:  |
| 0.750 inches  |
| Environmental Protection:   |
| Corrosion resistant and shock resistant and vibration resistant                           |
| Distance Between Mounting Facility Centers:   |
| Between 1.980 inches and 2.000 inches   |
| Threaded Device Type:   |
| Mounting stud   |
| Mating End Quantity:  |
| 1   |
| Contact Position Arrangement Style:   |
| 42 single mating end  |
| Polarization Method:  |
| Guide pin/socket  |
| Thready Qty Per Inch (tpi):   |
| 40  |
| Thread Size:  |
| 0.112 inches  |
| Insert Material:  |
| Plastic diallyl phthalate single mating end   |
| Insert Material Specification:  |
| Mil-p-19833, ty gdi-30f military specification single material response single mating end |
| Unable To Decode:   |
| Unable to decode and unable to decode   |
| Special Features:   |
| Items furnished as accessories -lock tab  |
| Thread Series Designator:   |
| Unc   |
| Shelf Life:   |
| N/a   |
| Unit Of Measure:  |
|   |
| Demilitarization:   |
| No  |
|   |

## NSN 5935-01-140-1473

Electrical Receptacle Connector Body - Page 2 of 2



**Fiig:** A039b0

Mil-std (military Standard):

Mil-p-19833 spec.