## NSN 5935-01-140-7321

Electrical Receptacle Connector - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-01-140-7321

**Body Style:** Right angle, card **Overall Length:** 6.220 inches Overall Width: 0.486 inches **Body Height:** 0.311 inches **Environmental Protection:** Humidity resistant and vibration resistant and shock resistant **Mating End Quantity: Contact Removability:** Nonremovable single mating end single contact grouping **Contact Maximum Current Rating In Amps:** 3.0 single mating end single contact grouping **Polarization Method:** Guide pin/socket **Terminal Location:** Back single mating end single contact grouping **Contact Material:** Copper alloy single mating end single contact grouping **Contact Surface Treatment:** Gold single mating end single contact grouping and nickel single mating end single contact grouping **Insert Material:** Plastic diallyl phthalate single mating end **Terminal Type:** Tab, solder lug single mating end single contact grouping **Contact Material Specification:** Qq-b-626 federal specification single material response single mating end single contact grouping or qq-c-530 federal specification single material response single mating end single contact grouping **Insert Material Specification:** Mil-m-14, ty sdg-f military specification single material response single mating end or mil-p-19833, ty gdi-30-f military specification single material response single mating end **Included Contact Quantity:** 160 single mating end single contact grouping **Included Contact Type:** Round socket single mating end single contact grouping

Contact surfaces gold

**Precious Material And Weight:** 

**Precious Material And Location:** 

0.160 gold grains, troy

**Precious Material:** 

Gold

## NSN 5935-01-140-7321

Electrical Receptacle Connector - Page 2 of 2



N/a
Unit Of Measure:
Demilitarization:
No
Fiig:
A039b0
Mil-std (military Standard):

Shelf Life:

Mil-m-14 spec.