## NSN 5935-01-143-6649

Connector Adapter - Page 1 of 2

Thread Class: 2b and 2a



View Online at https://aerobasegroup.com/nsn/5935-01-143-6649

Thread Direction:
Right-hand and right-hand
Body Style:
Straight shape, internal coupling
Overall Length:
1.020 inches
Overall Diameter:
0.610 inches
Threaded Device Type:
Coupling facility
Mating End Quantity:
2
Contact Position Arrangement Style:
Tnc 2nd mating end
Contact Removability:
Nonremovable all mating ends single contact grouping
Shell Type:
Solid
Connector Locking Method:
Internally threaded coupling nut and externally threaded coupling nut
Radio Frequency Type Contact Characteristic Impedance In Ohms:
50.0 all mating ends single contact grouping
Thready Qty Per Inch (tpi):
28 and 36
Thread Size:
0.437 inches and 0.250 inches
Contact Material:
Copper alloy all mating ends single contact grouping
Contact Surface Treatment:
Gold all mating ends single contact grouping
Insert Material:
Plastic tetrafluoroethylene all mating ends
Contact Material Specification:
Qq-b-626 federal specification single material response 1st mating end 1st contact grouping
Shell Material:
Copper alloy
Shell Surface Treatment:
Gold
Shell Material Specification:
Qq-c-530 federal specification single material response

## NSN 5935-01-143-6649

Connector Adapter - Page 2 of 2



ln	clu	ded	Conta	ct O	uantity	,-
	u	ucu	CUIILA	UL W	uannı	•

1 all mating ends single contact grouping

**Included Contact Type:** 

Coaxial socket 2nd mating end 2nd contact grouping

**Precious Material And Location:** 

Contact and shell surfaces gold

**Precious Material And Weight:** 

0.110 gold grains, troy

**Precious Material:** 

Gold

**Thread Series Designator:** 

Unef and uns

Shelf Life:

N/a

Unit Of Measure:

\_\_

Demilitarization:

No

Fiig:

A039b0