NSN 5935-01-144-1219

Electrical Receptacle Connector - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-01-144-1219 **Thread Class:** 2b **Thread Direction:** Right-hand **Body Style:** Wall type **Overall Height:** 1.125 inches **Overall Width:** 1.391 inches **Body Length:** 1.391 inches **Distance Between Mounting Facility Centers:** 1.938 inches **Threaded Device Type:** Coupling facility **Mating End Quantity:** 1 **Contact Position Arrangement Style:** 3 single mating end **Contact Removability:** Nonremovable single mating end all contact groupings **Contact Maximum Current Rating In Amps:** 15.0 single mating end all contact groupings **Contact Maximum Ac Voltage Rating In Volts:** 250.0 single mating end all contact groupings **Contact Maximum Dc Voltage Rating In Volts:** 250.0 single mating end all contact groupings **Connector Locking Method:** Spring lock Thready Qty Per Inch (tpi): **Thread Size:** 0.164 inches **Terminal Location:** Side single mating end all contact groupings **Contact Material:** Copper alloy single mating end all contact groupings **Insert Material:**

Plastic single mating end **Terminal Type:**

Screw single mating end all contact groupings

NSN 5935-01-144-1219

Electrical Receptacle Connector - Page 2 of 2



Included Contact Quantity:
0 - 1 1 1 0 1

2 single mating end 2nd contact grouping

Included Contact Type:

Curved socket single mating end 2nd contact grouping

Thread Series Designator:

Unc

Shelf Life:

N/a

Unit Of Measure:

Demilitarization:

No

Fiig:

A039b0