# NSN 5935-01-145-6173

Electrical Plug Connector - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-01-145-6173 **Thread Class:** 2b **Thread Direction:** Right-hand **Body Style:** Angle shape w/center screw lock **Overall Length:** 2.070 inches **Overall Height:** 2.844 inches Diameter: 1.439 inches **Environmental Protection:** Waterproof **Cable Entrance Diameter:** Between 0.448 inches and 0.656 inches **Threaded Device Type:** Coupling facility **Mating End Quantity: Contact Removability:** Nonremovable single mating end single contact grouping **Contact Maximum Current Rating In Amps:** 7.5 single mating end single contact grouping **Polarization Method:** Keyway or multiple keyway **Insert Position In Deg:** 0.0 Shell Type: Solid **Connector Locking Method:** Jackscrew-socket **Connector Cable Strain Relief Method:** Cable clamp Thready Qty Per Inch (tpi): 32 **Thread Size:** 0.190 inches

**Terminal Location:** 

Back single mating end single contact grouping

**Contact Material:** 

Copper alloy single mating end single contact grouping

# NSN 5935-01-145-6173

Electrical Plug Connector - Page 2 of 2



#### **Contact Surface Treatment:**

Gold single mating end single contact grouping and nickel single mating end single contact grouping

#### **Insert Material:**

Plastic single mating end or rubber synthetic single mating end

### **Contact Surface Treatment Specification:**

Mil-g-45204, ty ii, class 1, grade d military specification 1st treatment response single mating end single contact grouping and qq-n-290 federal specification 2nd treatment response single mating end single contact grouping

#### **Terminal Type:**

Solder well single mating end single contact grouping

#### **Contact Material Specification:**

Qq-b-626 federal specification single material response single mating end single contact grouping

#### **Shell Material:**

Aluminum alloy

#### **Shell Surface Treatment:**

Cadmium and chromate

#### **Insert Material Specification:**

Mil-m-14, ty gdi-30f military specification single material response single mating end or mil-r-3065 military specification single material response single mating end

#### **Included Contact Quantity:**

18 single mating end single contact grouping

### **Included Contact Type:**

Round pin single mating end single contact grouping

## **Precious Material And Location:**

Contact surfaces gold

### **Precious Material And Weight:**

0.018 gold grains, troy

#### **Precious Material:**

Gold

## **Thread Series Designator:**

Uns

#### Shelf Life:

N/a

## **Unit Of Measure:**

## Demilitarization:

No

# Fiig:

A039b0

## Mil-std (military Standard):

Mil-g-45204 spec.