## NSN 5935-01-145-8732

**Body Style:** 

Overall Length: 1.061 inches Overall Height: 3.075 inches

Straight shape, flush mount

Electrical Receptacle Connector - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-01-145-8732

Overall Width:
2.000 inches
Unthreaded Mounting Hole Diameter:
0.120 inches
Center To Center Distance Between Mounting Facilities Parallel To Height:
2.783 inches
Distance Between Centerlines Of Mounting Facilities Parallel To Body Width:
1.437 inches
Distance From Mounting Shoulder To Front Face:
0.060 inches
Mating End Quantity:
2
Contact Position Arrangement Style:
40 all mating ends
Contact Removability:
Removable all mating ends single contact grouping
Contact Maximum Current Rating In Amps:
7.5 all mating ends single contact grouping
Polarization Method:
3 polarization posts
Shell Type:
Solid
Terminal Location:
Terminal Location:  Back all mating ends single contact grouping
Back all mating ends single contact grouping
Back all mating ends single contact grouping  Contact Material:
Back all mating ends single contact grouping  Contact Material:  Copper alloy all mating ends single contact grouping
Back all mating ends single contact grouping  Contact Material:  Copper alloy all mating ends single contact grouping  Contact Surface Treatment:
Back all mating ends single contact grouping  Contact Material:  Copper alloy all mating ends single contact grouping  Contact Surface Treatment:  Gold all mating ends single contact grouping
Back all mating ends single contact grouping  Contact Material:  Copper alloy all mating ends single contact grouping  Contact Surface Treatment:  Gold all mating ends single contact grouping  Insert Material:
Back all mating ends single contact grouping  Contact Material:  Copper alloy all mating ends single contact grouping  Contact Surface Treatment:  Gold all mating ends single contact grouping  Insert Material:  Plastic diallyl phthalate all mating ends
Back all mating ends single contact grouping  Contact Material:  Copper alloy all mating ends single contact grouping  Contact Surface Treatment:  Gold all mating ends single contact grouping  Insert Material:  Plastic diallyl phthalate all mating ends  Contact Surface Treatment Specification:
Back all mating ends single contact grouping  Contact Material:  Copper alloy all mating ends single contact grouping  Contact Surface Treatment:  Gold all mating ends single contact grouping  Insert Material:  Plastic diallyl phthalate all mating ends  Contact Surface Treatment Specification:  Mil-g-45204 military specification single treatment response all mating ends single contact grouping
Back all mating ends single contact grouping  Contact Material:  Copper alloy all mating ends single contact grouping  Contact Surface Treatment:  Gold all mating ends single contact grouping  Insert Material:  Plastic diallyl phthalate all mating ends  Contact Surface Treatment Specification:  Mil-g-45204 military specification single treatment response all mating ends single contact grouping  Terminal Type:

## NSN 5935-01-145-8732

Electrical Receptacle Connector - Page 2 of 2



## **Guide Design And Location:**

Hexagon shape male post left-hand at 6 oclock and hexagon shape male post center at 6 oclock and hexagon shape male post right-hand at 6 oclock

**Shell Material:** 

Aluminum alloy 380.0

**Shell Surface Treatment:** 

Cadmium

**Shell Surface Treatment Specification:** 

Qq-p-416 federal specification single treatment response

**Shell Material Specification:** 

Qq-a-591 federal specification single material response

**Insert Material Specification:** 

Mil-m-14 military specification single material response all mating ends

**Precious Material And Location:** 

Contact surfaces gold

**Precious Material And Weight:** 

0.080 gold grains, troy

**Precious Material:** 

Gold

Shelf Life:

N/a

**Unit Of Measure:** 

Demilitarization:

No

Fiig:

A039b0

Mil-std (military Standard):

Mil-g-45204 spec.