Electrical Plug Connector - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-01-146-2078

Thread Class:	
2b	
Thread Direction:	
Right-hand	
Body Style:	
Straight shape, inte	rnal coupling w/strain relief
Body Length:	
5.379 inches	
Overall Diameter:	
2.209 inches	
Environmental Pro	tection:
Moisture proof and s	salt water resistant and vibration proof
Cable Entrance Dia	imeter:
1.250 inches	
Threaded Device T	ype:
Coupling facility	
Mating End Quanti	ty:
1	
Contact Position A	rrangement Style:
32-12 single mating	end
Contact Removabi	lity:
Removable single m	nating end all contact groupings
Contact Maximum	Current Rating In Amps:
41.0 single mating e	nd 1st contact grouping41.0 single mating end 2nd contact grouping22.0 single mating end 3rd contact grouping22.
single mating end 4	h contact grouping
Contact Maximum	Ac Voltage Rating In Volts:
900.0 single mating	end 4th contact grouping
Contact Maximum	Dc Voltage Rating In Volts:
700.0 single mating	end 1st contact grouping
Polarization Metho	d:
Key, multiple key gi	oove
Insert Position In D	leg:
0.0	
Shell Type:	
Solid	
Connector Locking	J Method:
Internally threaded of	oupling ring
Connector Cable S	train Relief Method:
Cable clamp	
Thready Qty Per In	ch (tpi):
18	
Thread Size:	
2.000 inches	

## NSN 5935-01-146-2078

Electrical Plug Connector - Page 2 of 2



**Terminal Location:** Back single mating end all contact groupings **Contact Material:** Copper alloy single mating end all contact groupings **Contact Surface Treatment:** Gold single mating end all contact groupings and nickel single mating end all contact groupings **Insert Material:** Rubber single mating end **Terminal Type:** Crimp single mating end all contact groupings Shell Material: Aluminum alloy **Shell Surface Treatment:** Cadmium and chromate **Shell Surface Treatment Specification:** Qq-p-416, type 2, class 3 federal specification all treatment responses **Included Contact Quantity:** 6 single mating end 4th contact grouping **Included Contact Type:** Round pin single mating end all contact groupings **Precious Material And Location:** Contact surfaces gold **Precious Material And Weight:** 0.035 gold grains, troy **Precious Material:** Gold **Thread Series Designator:** Uns Shelf Life: N/a Unit Of Measure: ---**Demilitarization:** No Fiig: A039b0